

THE DAIRY BARN SPECIALISTS

Headlocks • Slant Bars • Fence Panels • Accessories





We offer a variety of headlocks for all of your needs. We manufacture specialty headlocks including man passes and headlocks with man-gates built in.

Our headlocks can easily be converted to gates in which a feed trough can be added.

We provide inline and tipout mounting options.




Our headlocks are easy to install. The opening is designed for maximum cow comfort and efficiency. Simple and compact latch mechanism requires no field adjustments and is easy to operate. Custom lengths available.

Headlock Features

- Cushioned stop for guiet and safe operation
- Lock on each yoke allows each animal to be retained or removed individually
- Spring-loaded neck bar for easy removal and adjustment on calf & heifer locks
- Can be used as either bottom release or conventional use headlocks
- Heavy-duty construction
- Round steel posts available for curbmounting, or mounting on concrete bunks

Three Sizes Available Heifer Calf 28'' 38'' 16'' 16'' 16'' 16'' 16'' 16'' 16'' 16'' 16'' 16'' 16'' 16''



Individual cow lock provides greater control.



Cow-friendly design for easy entry and exit.



The control handle can be mounted anywhere with NO drilling.



Headlock Mounting Hardware Options

Available in Powder-Coated or Galvanized



Inline round center post mount



Single round center end post mount



Facemount for round steel post




Inline wood post mount



Face flat post mount

Calf Headlocks




Description

- Made from 1.9 O.D. 13 gauge high yield steel tube
- · Spaced on 16" center
- Easily adjustable for 4, 51/2" & 6" opening
- 28" high fence
- For animals 250 lbs. to 600 lbs.

Options


- Our standard lengths are from 1 lock per 2 feet to 8 locks per 12 feet
- · We make to opening size
- · Galvanized or powder-coated
- · Inline, facemount, or tip out mounting
- · Gate kit



Call us for your next headlock project.

Call us to discuss installation options.

Heifer Headlocks




Description

- Made from 1.9 O.D. 13 gauge high yield steel tube
- Spaced on 173/4" center.
- Easily adjustable for 51/2" & 71/2" opening
- 38" high fence
- For animals 600 lbs. and up.


Options

- Our standard lengths are from 1 lock per 2 feet to 7 locks per 12 feet
- · We make to opening size
- · Galvanized or powder-coated
- Inline, facemount, or tip out mounting
- · Gate kit


HEBR Series Heifer Headlocks with Round Tubing



HEST Series Heifer Headlocks with Square Tubing



Cow Headlocks



Description

- Made from 1.9 O.D. 13 gauge high yield steel tube
- Spaced on 23" center
- 7½" yoke opening
- 38" high fence
- For animals 1,000 lbs. and up

Options

- Our standard lengths are from 1 lock per 2 feet to 6 locks per 12 feet
- · We make to opening size
- · Galvanized or powder-coated
- · Inline, facemount, or tip out mounting
- · Gate kit

COBR Series

Cow Headlocks with Round Tubing



COST Series

Cow Headlocks with Square Tubing



Hospital Headlocks Item Description

HOLO	Hospital Headlock 36" Long x 48" High (Powder-coated)
1101000111	

HOLOGALV Hospital Headlock 36" Long x 48" High (Galv.)



Bull Headlocks

 leadlock 38' (Powder-coa	
 leadlock 38'	' Wide x 48



BULLHLGALV

Bull Headlock 38" Wide x 48" high (Galv.)



Headlock Gate Kits (38" High)

Item	Description
HEG38	38" High headlock gate kit (Any Length)

(bottom release) (Powder-coated)

l t e m	Description
HEG38GALV	38" High headlock gate kit (Galv.) (Any Length) (bottom release)

Headlock Gate Kits (48" High)



l t e m	Description
HEG48-4	48" High headlock gate kit (0-4') (bottom release) (Powder-coated)
HEG48-4GALV	48" High headlock gate kit (0-4') (bottom release) (Galv.)
HEG48-6	48" High headlock gate kit (4-6') (bottom release) (Powder-coated)
HEG48-6GALV	48" High headlock gate kit (4-6') (bottom release) (Galv.)
HEG48-8	48" High headlock gate kit (6-8') (bottom release) (Powder-coated)

Item	Description
HEG48-8GALV	48" High headlock gate kit (6-8') (bottom release) (Galv.)
HEG48-10	48" High headlock gate kit (8-10') (bottom release) (Powder-coated)
HEG48-10GALV	48" High headlock gate kit (8-10') (bottom release) (Galv.)
HEG48-12	48" High headlock gate kit (10-12')(bottom release) (Powder-coated)
HEG48-12GALV	48" High headlock gate kit (10-12')(bottom release) (Galv.)

HEADLOCKS

Headlock	Accessories				
Item	Description		lt e m	Description	
BR1002	Headlock Tripper	18.8	CAAB	Adjustable Bar for Calf Headlocks (Powder-coated)	met.
BR1007	Tripper Lock		CAABGALV	Adjustable Bar For Calf Headlocks (Galv.)	
		-	СН	Control Handle For Headlocks (Powder-coated)	11
BR1007GALV	Tripper Lock (Galv.)		CHGALV	Control Handle For Headlocks (Galv.)	0
BR1008	Bar Connector		CS554	Center Curb Support Bracket (Powder-coated)	9
DN 1000	Dai Connector	2-3	CS554GALV	Center Curb Support Bracket (Galv.)	14
BR1011	Pivot Pipe		CSTM	Center Curb Support Top Mount (Powder-coated)	
BR1013 BR1013GALV	Headlock Yoke (Powder-coated) Headlock Yoke (Galv.)		CSTMGALV	Center Curb Support Top Mount (Galv.)	CUE
			HEAB HEABGALV	Adjustable bar for heifer headlock Adjustable bar for heifer headlock	
BR1021	Calf Headlock Yoke				
BR1021GALV	Calf Headlock Yoke (Galv.)		HLS124	Spring for control handle	ammm
BR1023	Headlock Adapter Block		HLS175	Spring for adjustable bar	PANADA.
BR1023GALV	Headlock Adapter Block (Galv.)	10	KA-BEEFPIPE	11/4" beef pipe (per ft.)	MATA AT A STATE OF A S
3R1024	Tripper Lock, for calf headlocks		BEET II E	(Powder-coated)	
BR1024GALV	Tripper Lock, for calf headlocks (Galv.)	The state of the s			

Item	Description	Item	Description
3PH42	42" H Bunk Post	BPJ42	42" J Bunk Post
PH42GALV	42" H Bunk Post (Galv.)	BPJ42GALV	42" J Bunk Post (Galv.)

CK Manufacturing's slant bar feed-through gates and fences are custom built to any length.




The top and bottom bars are 1.9" O.D. 13 gauge wall, high yield steel tube. Slant bars are 1" schedule 40 pipe.

> Available in Powder-Coated or Galvanized

Slant bar panels are available in three sizes

Size	Opening	Height
Calf	10½"	28" or 38"
Heifer	12½"	38" or 48"
Cow	141/2"	38" or 48"



CK Manufacturing gate troughs are constructed of 14 gauge steel and measure 8" deep x 13 ½" wide at the top.

- Top and bottom bars are 1.9 O.D. 13 gauge wall, high yield steel tube
- Slant bars are 1" schedule 40 pipe
- 10½" openings between slats
- · 2 height sizes
- · With or without flats
- For animals up to 600 lbs.

Options

- · Our standard lengths are from 5 feet to 16 feet
- · We make to opening size
- · Galvanized or powder-coated
- · Inline, facemount, or tip out mounting

28" Calf Slant Bar



28" Calf Slant Bar with Open Ends



SCA28F Series

28" Calf Slant Bar with Flats



38" Calf Slant Bar

SCA38 Series

38" Calf Slant Bar with Open Ends



SCA38F Series

38" Calf Slant Bar with Flats



- Top and bottom bars are 1.9 O.D. 13 gauge wall, high yield steel tube
- Slant bars are 1" schedule 40 pipe
- 12½" openings between slats
- · 2 height sizes
- · With or without flats
- For animals up to 1,000 lbs.


Options

- · Our standard lengths are from 5 feet to 16 feet
- · We make to opening size
- · Galvanized or powder-coated
- · Inline, facemount, or tip out mounting

38" Heifer Slant Bar

SHE38 Series

38" Heifer Slant Bar with Open Ends



SHE38F Series

38" Heifer Slant Bar with Flats



48" Heifer Slant Bar

SHE48 Series

48" Heifer Slant Bar with Open Ends



SHE48F Series

48" Heifer Slant Bar with Flats



- Top and bottom bars are 1.9 O.D. 13 gauge wall, high yield steel tube
- Slant bars are 1" schedule 40 pipe
- 14½" openings between slats
- · 2 height sizes
- · With or without flats
- For animals up 1,000 lbs. and up


Options

- · Our standard lengths are from 5 feet to 16 feet
- · We make to opening size
- · Galvanized or powder-coated
- · Inline, facemount, or tip out mounting

38" Cow Slant Bar


SCO38 Series

38" Cow Slant Bar with Open Ends



SCO38F Series

38" Cow Slant Bar with Flats



48" Cow Slant Bar


SCO48 Series

48" Cow Slant Bar with Open Ends



SCO48F Series

48" Cow Slant Bar with Flats



CK Manufacturing fences are made of heavy-duty tubing to last years longer than uncoated tubing.

Don't waste your money with cheap fencing!

We make gate panels and corral panels too!

We make panels to fulfill a variety of needs.

Fence panels, gate panels, and corral panels are our most popular; however, we provide sloped and radius panels as well.



- Made of 1.9 O.D. high yield steel tube
- 2 standard height sizes
- · With or without flats

Options


- Our standard lengths are from 5 feet to 15 feet
- · We make to opening size
- · Galvanized or powder-coated

38" Fence Panels







48" Fence Panels






54" Fence Panels







Call us for manufacturing and installation options on your next project!

Inline Mou	unting Clamps	
l t e m	Description	
FM552	Flat Mount Bracket for wood post (Powder-coated)	
FM552GALV	Flat Mount Bracket for wood post (Galv.)	
RC20C	Center Clamp for 2" Pipe (Powder-coated)	
RC20CGALV	Center Clamp for 2" Pipe (Galv.)	
RC20E	End Clamp for 2" Pipe (Powder-coated)	1
RC20EGALV	End Clamp for 2" Pipe (Galv.)	1
RC225	Clamp Weldment w/ Stub (For 2" pipe) (Powder-coated)	
RC225GALV	Clamp Weldment w/ Stub (For 2" pipe) (Galv.)	
RC25-9	90% Corner Clamp for 2½" Pipe (Powder-coated)	00
RC25-9GALV	90% Corner Clamp for 2½" Pipe (Galv.)	
RC25-9K	90 Degree Corner Clamp ** Kit ** for 21/2" Pipe (Powder-coated)	00
RC25-9KGALV	90 Degree Corner Clamp ** Kit ** for 21/2" Pipe (Galv.)	
RC255	Clamp Weldment w/ Stub (For 2½" pipe) (Powder-coated)	
RC255GALV	Clamp Weldment w/ Stub (For 2½" pipe) (Galv.)	
RC25C	Center Clamp for 2½" Pipe (Powder-coated)	198
RC25CGALV	Center Clamp for 2½" Pipe (Galv.)	1
RC25E	End Clamp for 2½" Pipe (Powder-coated)	133
RC25EGALV	End Clamp for 2½" Pipe (Galv.)	
RC30-9	90 Degree Corner Clamp for 3" Pipe (Powder-coated)	00
RC30-9GALV	90 Degree Corner Clamp for 3" Pipe (Galv.)	
RC30-9K	90 Degree Corner Clamp ** Kit ** for 3" Pipe (Powder-coated)	
RC30-9KGALV	90 Degree Corner Clamp ** Kit ** for 3" Pipe (Galv.)	

l t e m	Description	
RC30C	Center Clamp for 3" Pipe (Powder-coated)	
RC30CGALV	Center Clamp for 3" Pipe (Galv.)	35
RC30E	End Clamp for 3" Pipe (Powder-coated)	He
RC30EGALV	End Clamp for 3" Pipe (Galv.)	4.5
RC335	Clamp Weldment w/ Stub (For 3" pipe) (Powder-coated)	
RC335GALV	Clamp Weldment w/ Stub (For 3" pipe) (Galv.)	
RC35-9	90 Degree Corner Clamp for 3½" Pipe (Powder-coated)	0
RC35-9GALV	90 Degree Corner Clamp for 3½" Pipe (Galv.)	
RC35-9K	90 Degree Corner Clamp ** Kit ** for 3½" Pipe(Powder-coated)	1
RC35-9KGALV	90 Degree Corner Clamp ** Kit ** for 3½" Pipe (Galv.)	3 7
RC35C	Center Clamp for 3½" Pipe (Powder-coated)	
RC35CGALV	Center Clamp for 3½" Pipe (Galv.)	
RC35E	End Clamp for 3½" Pipe (Powder-coated)	1
RC35EGALV	End Clamp for 3½" Pipe (Galv.)	1
RC40-9	90% Corner Clamp for 4" Pipe (Powder-coated)	
RC40-9GALV	90% Corner Clamp for 4" Pipe (Galv.)	
RC40-9K	90 Degree Corner Clamp ** Kit ** for 4" Pipe (Powder-coated)	
RC40-9KGALV	90 Degree Corner Clamp ** Kit ** for 4" Pipe (Galv.)	6 6
RC40C	Center Clamp for 4" Pipe (Powder-coated)	-0
RC40CGALV	Center Clamp for 4" Pipe (Galv.)	3
RC40E	End Clamp for 4" Pipe (Powder-coated)	
RC40EGALV	End Clamp for 4" Pipe (Galv.)	16

Inline Mou	ınting Clamps				
Item	Description		Item	Description	
RC445	Clamp Weldment w/ Stub (For 3½" & 4" pipe) (Powder-coated)		RC60-9K	90 Degree Corner Clamp ** Kit ** for 6" Pipe (Powder-coated)	1
RC445GALV	Clamp Weldment w/ Stub (For 3½" & 4" pipe) (Galv.)		RC60-9KGALV	90 Degree Corner Clamp ** Kit ** for 6" Pipe (Galv.)	1
RC50-9	90% Corner Clamp for 5" Pipe (Powder-coated)		RC60C	Center Clamp for 6" pipe (Powder-coated)	A-M
RC50-9GALV	90% Corner Clamp for 5" Pipe	-		,	
DCEO OV	(Galv.)		RC60CGALV	Center Clamp for 6" pipe (Galv.)	
RC50-9K	90 Degree Corner Clamp ** Kit ** for 5" Pipe (Powder-coated)	0			
RC50-9KGALV	90 Degree Corner Clamp ** Kit		RC60E	End clamp for 6" pipe (Powder-coated)	7
	** for 5" Pipe (Galv.)		RC60EGALV	End Clamp for 6" pipe (Galv.)	1
RC50C	Center Clamp for 5" Pipe (Powder-coated)	A			13)14
RC50CGALV	Center Clamp for 5" Pipe (Galv.)		RC665	Clamp Weldment w/ Stub (For 5" & 6" pipe) (Powder-coated)	
		W	RC665GALV	Clamp Weldment w/ Stub (For 5"	
RC50E	End Clamp for 5" Pipe (Powder-coated)	A		& 6" pipe) (Galv.)	
DOFOCOALL!	,		WMB166GALV	Weld-on mounting bracket	4
RC50EGALV	End Clamp for 5" Pipe (Galv.)			(Galv.)	
RC60-9	90% Corner Clamp for 6" Pipe (Powder-coated)	4-0			
RC60-9GALV	90% Corner Clamp for 6" Pipe (Galv.)				

Most parts in stock for same day pickup or shipping!

Face Mounting Clamps

Item	Description		Item	Description		
EM555 EM555GALV	Extension Surface Mount for Wood Post (Powder-coated) Extension Surface Mount for		FM25	Face mount clamp for 2½" round pipe (MFK280 Recommended) (Powder-coated)	101	
	Wood Post (Galv.)		FM25GALV	Face mount clamp for 2½" round pipe (Galv.)(MFK280 Recommended)		
EMR20 EMR20GALV	Extension Surface Mount for 2" Pipe (Powder-coated) Extension Surface Mount for 2"	P. C. S	FM30	Face mount clamp for 3" round pipe (MFK280 Recommended)	2001	
LIVITIZOUALV	Pipe (Galv.)	0, 1/3	FM30GALV	(Powder-coated) Face mount clamp for 3"	10	
EMR25	Extension surface mount for 2½" pipe (Powder-coated)		EN A O E	round pipe (Galv.) (MFK280 Recommended)	9	
EMR25GALV	Extension surface mount for 2½" pipe (Galv.)		FM35	Face mount clamp for 3½" round pipe (MFK280 Recommended) (Powder-coated)	1500	
EMR30 EMR30GALV	Extension surface mount for 3" pipe (Powder-coated) Extension surface mount for 3"	ACO	FM35GALV	Face mount clamp for 3½" round pipe (Galv.)(MFK280		
LIVINGUALV	pipe (Galv.)	-	FM20ST	Recommended) Face Mount Clamp (Sq. Tube) for	- N	
EP20	2" Pipe clamp (Powder-coated)	1	FM20ST-	2" Pipe (Powder-coated) **Kit** Face Mount Clamp (Sq. Tube) for	5/12	
EP20GALV	2" Pipe clamp Galv.		GALV	2" Pipe (Galv.) **Kit**		
EP25	21/2" Pipe clamp (Powder-coated)	(CONTRACTOR)	FM25ST	Face Mount Clamp (Sq. Tube) for 2½" Pipe (Powder-coated) **Kit**	STA A	
EP25GALV EP30	2½" Pipe clamp Galv. 3" Pipe clamp (Powder-coated)		FM25ST- GALV	Face Mount Clamp (Sq. Tube) for 2½" Pipe (Galv.) **Kit**	10	
EP30GALV	3"Pipe clamp Galv.		FM30ST	Face Mount Clamp (Sq. Tube) for 3" Pipe (Powder-coated) **Kit**	A A	
EP40	4" Pipe clamp (Powder-coated)		FM30ST- GALV	Face Mount Clamp (Sq. Tube) for 3" Pipe (Galv.) **Kit**	3/3/	
EP40GALV	4" Pipe clamp Galv.		FM40ST	Face Mount Clamp (Sq. Tube) for	4	
EP50	5" Pipe clamp (Powder-coated)			3½" & 4" Pipe (Powder-coated) **Kit**		
EP50GALV	5" Pipe clamp Galv.		FM40ST- GALV	Face Mount Clamp (Sq. Tube) for 31/2" & 4" Pipe (Galv.) **Kit**		
EP60	6" Pipe clamp (Powder-coated)		FM40	Face mount clamp for 4" round pipe (MFK280 Recommended)	2 - 5 - 6	
EP60GALV	6" Pipe clamp Galv.		ENAGO ALV	(Powder-coated)	19/2	
FM102ST	2" Sq. tube face mount clamp (Powder-coated)		FM40GALV	Face mount clamp for 4" round pipe (Galv.)(MFK280 Recommended)		
FM102ST GALV	2" Sq. tube face mount clamp (Galv.)		MFK280	Stub connector for slant bar or headlock		
FM102STL	2" Sq. tube face mount clamp, 51/4" long (Powder-coated)					
FM102STL GALV	2" Sq. tube face mount clamp, 51/4" long (Galv.)	1/2	STMFK280	Stub Connector for Sq. Tubing Headlock		

Face Mounting Clamps - Continued

rade indulting diamps dentinate				
Item	Description			
FM553	Face mount clamp for wood post (Powder-coated)			
FM553-L	Face mount long clamp for wood post (Powder-coated)			
FM553- LGALV	Face mount long clamp for wood post (Galv.)	400		
FM553GALV	Face mount long clamp for wood post (Galv.)	A		
RS25	Round surface mount clamp for 2½" pipe			
RS25GALV	Round surface mount clamp for 2½" pipe (Galv.) ** Kit**			
RS25ST	Round surface mount clamp (Sq. Tube) for 2½" pipe (Powder-coated) ** Kit**			

Item	Description		
RS25STGALV	Round surface mount clamp (Sq. Tube) for 2½" Pipe (Galv.) ** Kit**		
RS30	Round surface clamp set 3" pipe		
RS30GALV	Round surface mount clamp for 3" pipe (Galv.) ** Kit**		
RS30ST	Round surface mount clamp (Sq.Tube) for 3" pipe (Powder-coated) ** Kit**		
RS30STGALV	Round surface mount clamp (Sq.Tube) for 3" pipe (Galv.) ** Kit**		

Adjustable Ends

I t e m	Description		Item	Descript
AE38	Adjustable end 38" (Powder-coated)	1	AEF48	Adjustable end F48 (Powder-coated)
AE38GALV	Adjustable end 38" (Galv.)			
AE48	Adjustable end 48" (Powder-coated)	1 1	AEF48GALV	Adjustable end F48 (Galv.)
AE48GALV	Adjustable end 48" (Galv.)			
AEF38	Adjustable end F38 series (Powder-coated)		AEF54	Adjustable end F54 (Powder-coated)
AEF38GALV	Adjustable end F38 series (Galv.)		AEF54GALV	Adjustable end F54 (Galv.)

Item	Description	
AEF48	Adjustable end F48 series (Powder-coated)	
AEF48GALV	Adjustable end F48 series (Galv.)	
AEF54	Adjustable end F54 series (Powder-coated)	
AEF54GALV	Adjustable end F54 series (Galv.)	

Features & Options





Any bay can easily be converted for group feeding with optional 12' slant bar gate, shown with galvanized feed trough.



Optional feed room with double wide access door.

Overhead door in the rear.



Each pen has two openings to prevent feed and water cross contamination. One opening includes a headlock.



sales@ckmanufacturing.com office 717-464-2166 330 Millwood Road Lancaster, PA 17603

www.ckmanufacturing.com